

NOTES
1. TIN-LEAD PER AMS-P-81728 w/COPPER UNDERPLATE. MUST CERT SOLDERABILITY TO MIL-STD-202, M208

2. SCREW SIZE: 4

3. DIMENSIONS APPLY PRIOR TO PLATING.

I KOI KILIAKI AND CONIDLINIAL
THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
SEASTROM MANUFACTURING. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF
SEASTROM MANUFACTURING IS
PROHIBITED.

	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL±1/32 ANGULAR: MACH±1/2 Deg TWO PLACE DECIMAL ±.01 THREE PLACE DECIMAL ±.005		NAME	DATE		CEACTDONA NAEC		
		DRAWN			SEASTROM MFG			
		CHECKED			SOLDER LUG			
		ENG APPR.						
		MFG APPR.						
	BRASS, HALF HARD	Q.A.						
		COMMENTS:			1			
	FINISH				SIZE	IDWG, NO.	RFV.	
	SEE NOTE 1				A	5413-104-TL1		
	DRAWING IS NOT TO SCALE				ļ .	SHEET 1	OF 1	